

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-62. (Canceled)

63. (Previously Presented) A method comprising the steps of:

providing at least one sheet of flexible, laminated polymeric material

having an upper surface and a lower surface, wherein at least a

portion of one of the upper and lower surfaces of the at least one

sheet of laminated polymeric material is modified to provide such

surface with a matte finish wherein the matte finish is provided by

printing with a matted ink or lacquering with a matted lacquer, the

sheet of laminated polymeric material comprising:

at least one sheet of polymeric material; and

at least one sheet of material laminated to one surface of the sheet

of polymeric material, the at least one sheet of material

being selected from the group consisting of a polymeric film,

a substantially water impervious polymeric film, paper, a

metallized foil and combinations thereof; and

selling and delivering the at least one sheet of laminated polymeric material to a customer for use by the customer in wrapping the sheet of laminated polymeric material about a flower pot and securing the sheet of laminated polymeric material about the flower pot to provide a decorative cover having a matte finish.

64. (Previously Presented) A method comprising the steps of:

providing at least one sheet of polymeric material having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of polymeric material is modified to provide such surface with a matte finish, wherein the matte finish is provided by printing with a matted ink or lacquering with a matted lacquer; and

selling and delivering the at least one sheet of polymeric material to a customer for use by the customer in wrapping the sheet of polymeric material about a floral grouping and securing the sheet of polymeric material about the floral grouping to provide a decorative cover having a matte finish.

65. (Previously Presented) A method comprising the steps of:

providing at least one sheet of flexible, laminated polymeric material having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of laminated polymeric material is modified to provide such surface with a matte finish, wherein the matte finish is provided by printing with a matted ink or lacquering with a matted lacquer, the sheet of laminated polymeric material comprising:

at least one sheet of polymeric material; and

at least one sheet of material laminated to one surface of the sheet of polymeric material, the at least one sheet of material being selected from the group consisting of a polymeric film, a substantially water impervious polymeric film, a metallized foil and combinations thereof; and

selling and delivering the at least one sheet of laminated polymeric material to a customer for use by the customer in wrapping the sheet of laminated polymeric material about a floral grouping and securing the sheet of laminated polymeric material about the floral grouping to provide a decorative cover having a matte finish.

66. (Newly Added) A method comprising the steps of:

providing at least one sheet of polymeric material having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of polymeric material is modified to provide such surface with a matte finish, wherein the matte finish is provided by printing with a matted ink or lacquering with a matted lacquer; and

selling and delivering the at least one sheet of polymeric material to a customer for use by the customer in wrapping the sheet of polymeric material about a flower pot and securing the sheet of polymeric material about the flower pot to provide a decorative cover having a matte finish.

67. (Newly Added) The method of claim 66 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric material are provided, and the plurality of sheets of polymeric material are formed into a roll of polymeric material.

68. (Newly Added) The method of claim 66 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric

material are provided, and the plurality of sheets of polymeric material are formed into a pad of sheets of polymeric material.

69. (Newly Added) The method of claim 66 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

70. (Newly Added) The method of claim 66 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of polymeric material having a matte finish.

71. (Newly Added) The method of claim 66 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

72. (Newly Added) A method comprising the steps of:

providing at least one sheet of polymeric material having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of polymeric material is modified to provide such surface with a matte finish, wherein the at least one sheet of polymeric material has an acrylic heat sealable lacquer disposed on at least a portion of one of the upper and lower surfaces thereof; and

selling and delivering the at least one sheet of polymeric material to a customer for use by the customer in wrapping the sheet of polymeric material about a flower pot and securing the sheet of polymeric material about the flower pot to provide a decorative cover having a matte finish.

73. (Newly Added) The method of claim 72 wherein, in the step of providing at least one sheet of polymeric material, the matte finish is provided by at least one of printing, embossing, texturing, lacquering, extrusion, and combinations thereof.

74. (Newly Added) The method of claim 72 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric

material are provided, and the plurality of sheets of polymeric material are formed into a roll of polymeric material.

75. (Newly Added) The method of claim 72 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric material are provided, and the plurality of sheets of polymeric material are formed into a pad of sheets of polymeric material.

76. (Newly Added) The method of claim 72 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

77. (Newly Added) The method of claim 72 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of polymeric material having a matte finish.

78. (Newly Added) The method of claim 72 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric

material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

79. (Newly Added) A method comprising the steps of:

providing at least one sheet of flexible, laminated polymeric material

having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of laminated polymeric material is modified to provide such surface with a matte finish, wherein the at least one sheet of laminated polymeric material has an acrylic heat sealable lacquer disposed on at least a portion of one of the upper and lower surfaces thereof, and wherein the sheet of laminated polymeric material comprises:

at least one sheet of polymeric material; and

at least one sheet of material laminated to one surface of the sheet

of polymeric material, the at least one sheet of material being selected from the group consisting of a polymeric film, a substantially water impervious polymeric film, paper, a metallized foil and combinations thereof; and

selling and delivering the at least one sheet of laminated polymeric material to a customer for use by the customer in wrapping the

sheet of laminated polymeric material about a flower pot and securing the sheet of laminated polymeric material about the flower pot to provide a decorative cover having a matte finish.

80. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, the matte finish is provided by at least one of printing, embossing, texturing, lacquering, and combinations thereof.

81. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, a plurality of sheets of laminated polymeric material are provided, and the plurality of sheets of laminated polymeric material are formed into a roll of laminated polymeric material.

82. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, a plurality of sheets of laminated polymeric material are provided, and the plurality of sheets of laminated polymeric material are formed into a pad of sheets of laminated polymeric material.

83. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, the polymeric film is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

84. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, the at least one sheet of laminated polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of laminated polymeric material having a matte finish.

85. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, the at least one sheet of laminated polymeric material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

86. (Newly Added) The method of claim 79 wherein, in the step of providing at least one sheet of laminated polymeric material, the sheet of polymeric material and the sheet of material are laminated with a colored adhesive.

87. (Newly Added) A method comprising the steps of:

providing at least one sheet of polymeric material having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of polymeric material is modified to provide such surface with a matte finish, and wherein the at least one sheet of polymeric material has an acrylic heat sealable lacquer disposed on at least a portion of one of the upper and lower surfaces thereof; and

selling and delivering the at least one sheet of polymeric material to a customer for use by the customer in wrapping the sheet of polymeric material about a floral grouping and securing the sheet of polymeric material about the floral grouping to provide a decorative cover having a matte finish.

88. (Newly Added) The method of claim 87 wherein, in the step of providing at least one sheet of polymeric material, the matte finish is provided by at least one of printing, embossing, texturing, lacquering, and combinations thereof.

89. (Newly Added) The method of claim 87 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric

material are provided, and the plurality of sheets of polymeric material are formed into a roll of polymeric material.

90. (Newly Added) The method of claim 87 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric material are provided, and the plurality of sheets of polymeric material are formed into a pad of sheets of polymeric material.

91. (Newly Added) The method of claim 87 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

92. (Newly Added) The method of claim 87 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of polymeric material having a matte finish.

93. (Newly Added) The method of claim 87 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric

material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

94. (Newly Added) A method comprising the steps of:

providing at least one sheet of flexible, laminated polymeric material

having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of laminated polymeric material is modified to provide such surface with a matte finish, wherein the at least one sheet of laminated polymeric material has an acrylic heat sealable lacquer disposed on at least a portion of one of the upper and lower surfaces thereof, and wherein the sheet of laminated polymeric material comprises:

at least one sheet of polymeric material; and

at least one sheet of material laminated to one surface of the sheet of polymeric material, the at least one sheet of material being selected from the group consisting of a polymeric film, a substantially water impervious polymeric film, a metallized foil and combinations thereof; and

selling and delivering the at least one sheet of laminated polymeric material to a customer for use by the customer in wrapping the

sheet of laminated polymeric material about a floral grouping and securing the sheet of laminated polymeric material about the floral grouping to provide a decorative cover having a matte finish.

95. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, the matte finish is provided by at least one of printing, embossing, texturing, lacquering, and combinations thereof.

96. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, a plurality of sheets of laminated polymeric material are provided, and the plurality of sheets of laminated polymeric material are formed into a roll of laminated polymeric material.

97. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, a plurality of sheets of laminated polymeric material are provided, and the plurality of sheets of laminated polymeric material are formed into a pad of sheets of laminated polymeric material.

98. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, the polymeric film is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

99. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, the at least one sheet of laminated polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of laminated polymeric material having a matte finish.

100. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, the at least one sheet of laminated polymeric material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

101. (Newly Added) The method of claim 94 wherein, in the step of providing at least one sheet of laminated polymeric material, the sheet of polymeric material and the sheet of material are laminated with a colored adhesive.

102. (Newly Added) A method comprising the steps of:

providing at least one sheet of polymeric material having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of polymeric material is modified to provide such surface with a matte finish, wherein the at least one sheet of polymeric material has an acrylic heat sealable lacquer disposed on at least a portion of one of the upper and lower surfaces thereof; and

selling and delivering the at least one sheet of polymeric material to a customer for use by the customer in forming the sheet of polymeric material about a flower pot and securing the sheet of polymeric material about the flower pot to provide a decorative cover having a matte finish.

103. (Newly Added) The method of claim 102 wherein, in the step of providing at least one sheet of polymeric material, the matte finish is provided by at least one of printing, embossing, texturing, lacquering, and combinations thereof.

104. (Newly Added) The method of claim 102 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric

material are provided, and the plurality of sheets of polymeric material are formed into a roll of polymeric material.

105. (Newly Added) The method of claim 102 wherein, in the step of providing at least one sheet of polymeric material, a plurality of sheets of polymeric material are provided, and the plurality of sheets of polymeric material are formed into a pad of sheets of polymeric material.

106. (Newly Added) The method of claim 102 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

107. (Newly Added) The method of claim 102 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of polymeric material having a matte finish.

108. (Newly Added) The method of claim 102 wherein, in the step of providing at least one sheet of polymeric material, the at least one sheet of polymeric

material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

109. (Newly Added) A method comprising the steps of:

providing at least one sheet of flexible, laminated polymeric material

having an upper surface and a lower surface, wherein at least a portion of one of the upper and lower surfaces of the at least one sheet of laminated polymeric material is modified to provide such surface with a matte finish, wherein the at least one sheet of laminated polymeric material has an acrylic heat sealable lacquer disposed on at least a portion of one of the upper and lower surfaces thereof, and wherein the sheet of laminated polymeric material comprises:

at least one sheet of polymeric material; and

at least one sheet of material laminated to one surface of the sheet of polymeric material, the at least one sheet of material being selected from the group consisting of a polymeric film, a substantially water impervious polymeric film, paper, a metallized foil and combinations thereof; and

selling and delivering the at least one sheet of laminated polymeric material to a customer for use by the customer in forming the

sheet of laminated polymeric material about a flower pot and securing the sheet of laminated polymeric material about the flower pot to provide a decorative cover having a matte finish.

110. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, the matte finish is provided by at least one of printing, embossing, texturing, lacquering, and combinations thereof.

111. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, a plurality of sheets of laminated polymeric material are provided, and the plurality of sheets of laminated polymeric material are formed into a roll of laminated polymeric material.

112. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, a plurality of sheets of laminated polymeric material are provided, and the plurality of sheets of laminated polymeric material are formed into a pad of sheets of laminated polymeric material.

113. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, the polymeric film is an expanded core polymeric film having a thickness in a range of from about 0.5 mil to about 10 mil.

114. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, the at least one sheet of laminated polymeric material is further provided with an embossed pattern, a printed pattern or embossed and printed patterns which enhance the aesthetic characteristics of the sheet of laminated polymeric material having a matte finish.

115. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, the at least one sheet of laminated polymeric material has a bonding material disposed on at least a portion of one of the upper and lower surfaces thereof.

116. (Newly Added) The method of claim 109 wherein, in the step of providing at least one sheet of laminated polymeric material, the sheet of polymeric material and the sheet of material are laminated with a colored adhesive.